

Connecting globally ——



TELE-FONIKA KABLE SA (DMCC Branch)

is the Regional Middle East Sales Office of Tele-Fonika Kable S.A. from Poland, 4-th largest manufacturer of electric cables and wires in Europe who supplies its products to GCC states (UAE, Saudi Arabia, Kuwait, Qatar, Oman and Bahrain) and other countries in Middle and Far East Region.

TELE-FONIKA Kable SA (DMCC Branch) was established in June 2015 to support the sales and marketing activity of TF Kable as well as to ensure prompt and professional service to our customers, provided by our specialized and experienced team.

We are located in Dubai's central business location Jumeirah Lake Towers (JLT) on Dubai-Abu Dhabi highway at main Almas Tower (Cluster A), which is also an operating place of DMCC Free-zone & Licensing authority.

Our strengths

We are constantly developing our business in GCC States, rest of Middle East and India with specialized products dedicated for Oil&Gas, Mining, Marine Industry, Railways / underground Metros and Energy sector. We are also closely cooperating with authorized distributors who keep the stock of our fast moving items, such as Flexible HO7RN-F, Fire Resistant cables (Flame-X 950) or shipboard cables to react immediately for market needs.

Factory Approvals

Our Flame-X 950 fire resistant cables are designed for life saving, fire fighting and detection systems, so it is critically important these cables are designed and manufactured in internationally approved laboratories. You can trust TELE-FONIKA Kable, as our factory management system is approved to ISO9001 for Quality, ISO14001 for Environmental and OHSAS for Health & Safety.

Certificates

For your safety and peace of mind, our Flame-X 950 fire resistant cables have been tested, verified and approved by the independent third party laboratories of BASEC and LPCB (UK) and also approved by Civil Defence Authorities of GCC countries.



Table of Contents

| 4 | TELE-FONIKA Kable Group |
|----|-------------------------|
| 6 | FLAME-X 950 SERIES 1 |
| 11 | FLAME-X 950 SERIES 2 |
| 16 | FLAME-X 950 SERIES 2e |
| 20 | FLAME-X 950 SERIES 3 |
| 25 | FLAME-X 950 SERIES 4 |
| 30 | FLAME-X 950 SERIES 6 |

The information contained in this document, including the tables and drawings, are provided for illustrative purposes only and not a commercial offer; nor may it constitute the basis for pursuing any claim against TELE-FONIKA KABLE SA. The suitability of any product including properties, should be made by a qualified person; having already gained the appropriate permissions and documentation, to ensure compliance with any applicable law or regulation.

Experience and competence of the TELE-FONIKA Kable Group

Leading producer of cables and cable systems


The TELE-FONIKA Kable Group has been present on the domestic and international cable industry market for more than 25 years. A stable development strategy based on full diversification of outlets enabled the strenghtening of the position of our company among world's leading cable companies with significant development potential.

Services and products provided by TFKable Group have numerous applications in the most important industry sectors – they include more than 25,000 proven standard constructions. Furthermore, they include specialist assortment tailored to the individual needs of business partners.

Additionally, our production facilities (in Poland, Serbia and Ukraine), the Bukowno-Poland recycling plant and commercial companies (responsible for the geo-regional distribution of products) demonstrate a significant development potential. This is also true in the case of our modern fire test laboratory in Krakow-Wielicka plant, which performs several hundred flammability pre-tests annually, and a laboratory of high and extra high voltages in Bydgoszcz.

As a result of implementation of our growth strategy, in August 2017 TFK. Group acquired JDR Cable Systems Ltd, the leading manufacturer of submarine umbilicals and power cables to the global offshore energy industry.

In the world's harshest environments and ever-increasing water depths, JDR's world-leading products and services bring power and control to offshore oil, gas and renewable energy systems.



Kraków-Wielicka plant – it produces cables and wires with voltage ranging from 1kV to 30kV, including rubber insulation, used in the extractive industry and wind farms; halogen-free cables and conductors (installed inside buildings); and signaling and control cables for special applications

Kraków-Bieżanów plant – production of overhead lines from alloyed aluminum, silver plated copperconductors for railway traction networks, made on robotic technology lines

Bydgoszcz plant – the largest production center for medium, high and extra high voltage cables in Europe

Myślenice plant – production of copper and fiber optic telecommunication cables, computer cables and car cables

Zajecar plant (Serbia) - production of low and medium voltage cables, signaling and control cables, telecommunication cables, as well as halogen-free cables and wires

Chernihiv plant (Ukraine) - production of non-flammable (N) HXH and N2XH cables, self-supporting AsXSn overhead cables, aluminum and copper wires up to 1kV, including assembly wires

Bukowno-Poland plant (recycling of cable waste) - it has the recycling capacity of approx. 10 thousand tons of cable waste per year. This allows for the recovery of fractions from individual materials with purity of over 99.5%

Fire Test Laboratory in the Krakow-Wielicka production plant -

it is equipped with apparatus that enables to conduct research ranging from basic tests of flame spreading on individual samples to flame spreading tests on bundles. Furthermore, it is equipped for testing density of emitted fumes and emission of corrosive gases

Laboratory of High and Extreme Voltages in the production plant in Bydgoszcz

- equipped with 4 Faraday cages (three for routine testing and one for cables and cable systems testing) along with a stroke generator and its own research field for qualification tests with 500kV testing systems and 5000A heating transformer sets

JDR Cable Systems – As a result of acquiring JDR Cable Systems Limited, TFKable has expanded its assets with two UK production Facilities. JDR manufactures submarine power cables as well as subsea umbilical cables consisting of components for power distribution, data transfer, monitoring and remote control, of offshore facilities. Additionally, our sales portfolio has been extended by offshore installation and maintenance services, located in JDR's service centres in the United States, UK, ensuring constant support for our business partners.

Supporting work safety system & improving quality in production processes.

















(FLAME-X 950 Single) **450/750V, 600/1000V**

Based on EN 50525-3-41, BS 8592:2016, BS 6387

Single core non-sheathed fire resistant cable having low emission of smoke and corrosive gases when affected by fire

CONSTRUCTION

| Conductors: | Circular or compacted circular, stranded, annealed copper conductor, class 2 acc. to BS EN 60228 |
|---------------------|--|
| Primary insulation: | Fire resistant mica tape with a glass cloth |
| Insulation: | Special thermosetting LSOH compound of EI5 type acc. to BS EN 50363-5 |



CHARACTERISTICS

| / | |
|--|--|
| Core identification: | Green/yellow, blue, black, brown, grey, red, yellow. Other colours are available on special request. |
| Maximum conductor operating temperature: | +90°C |
| Lowest installation temperature: | -5°C |
| Maximum short-circuit conductor temperature: | +250°C |
| Minimum bending radius: | 6 × D |
| | D – overall diameter of the cable |

(Flame-X 950 Single) 450/750 V, 600/1000V

Fire performance

| Fire resistance: | IEC 60331-21 BS EN 60331-3 BS 6387 ¹⁾ | Circuit integrity – tested 90 min. at 950°C Circuit integrity – tested 120min. at 830°C Category C – resistance to fire: 3 h at 950°C |
|------------------------------------|--|--|
| | | Category W – resistance to fire with water: 15 min at 650°C plus 15 min with water spray |
| | | Category \boldsymbol{z} – resistance to fire with mechanical shock: 15 min at 950°C |
| Flame propagation: | BS EN 60332-1- | 2 |
| Smoke density: | BS EN 61034-2 | |
| Corrosive and acid gases emission: | BS EN 60754-1 ² BS EN 60754-2 ² | |

 $^{^{1)}}$ Category C, W, Z for cables up to and including 95 mm2. Category C for cables above and including 120 mm².

Applications

For use in fixed installations, where cable is protected by conduit or trunking. Fire resistant cables intended to provide circuit integrity in case of fire.

| Standard length cable packing: | 100 m in coils or on spools, or 500 m on drums. Other forms of packing and delivery are available on request. |
|--------------------------------|--|
| | |

Approvals

| LPCB for fire tests | 1,5 mm² to 500 mm² single-core |
|---------------------|--------------------------------|
| | |

²⁾ BS EN 60754-1 & BS EN 60754-2 standards replace BS EN 50267-2-1

(Flame-X 950 Single) **450/750 V**, **600/1000V**

| Nominal cross-sectional area of conductor | Radial thickness of insulation | Approximate overall diameter | Approximate net weight | Maximum resistance of conductor at temperature 20°C | | |
|---|--------------------------------------|------------------------------------|---------------------------|--|--|--|
| mm² | mm | mm | mm | Ω/km | | |
| 1.5 | 0.7 | 3.90 | 25.3 | 12.1 | | |
| 2.5 | 0.8 | 4.60 | 38 | 7.41 | | |
| 4 | 0.8 | 5.10 | 53 | 4.61 | | |
| 6 | 0.8 | 5.40 | 71 | 3.08 | | |
| 10 | 1.0 | 6.70 | 116 | 1.83 | | |
| 16 | 1.0 | 7.80 | 173 | 1.15 | | |
| 25 | 1.2 | 9.60 | 270 | 0.727 | | |
| 35 | 1.2 | 10.60 | 361 | 0.524 | | |
| 50 | 1.4 | 12.30 | 490 | 0.387 | | |
| 70 | 1.4 | 13.70 | 683 | 0.268 | | |
| 95 | 1.6 | 16.10 | 942 | 0.193 | | |
| 120 | 1.6 | 17.50 | 1171 | 0.153 | | |
| 150 | 1.8 | 19.50 | 1445 | 0.124 | | |
| 185 | 2.0 | 21.40 | 1800 | 0.0991 | | |
| 240 | 2.2 | 24.3 | 2338 | 0.0754 | | |
| 300* | 2.4 | 26.50 | 2918 0 | | | |
| 400* | 2.6 | 29.60 | 3766 | 0.0470 | | |
| 500* | 2.8 | 33.20 | 4810 | 0.0366 | | |

(Flame-X 950 Single) 450/750 V, 600/1000V

Current Ratings and Voltage Drop

| mm² Amps Ai | mps | 0 | | | |
|--------------|-----|------|--------|--------|--------|
| • | | Amps | mV/A/m | mV/A/m | mV/A/m |
| 1.5 210 22 | 2 | 19 | 31 | 31 | 27 |
| 2.5 350 30 | 0 | 26 | 19 | 19 | 16 |
| 4 570 40 | 0 | 35 | 12 | 12 | 10 |
| 6 850 5 | 1 | 45 | 7.9 | 7.9 | 6.8 |
| 10 1400 7 | 1 | 63 | 4.7 | 4.7 | 4.0 |
| 16 2200 99 | 5 | 85 | 2.9 | 2.9 | 2.5 |
| 25 3600 12 | 26 | 111 | 1.85 | 1.90 | 1.65 |
| 35 5000 15 | 56 | 138 | 1.35 | 1.35 | 1.15 |
| 50 6800 18 | 89 | 168 | 0.99 | 1.05 | 0.90 |
| 70 9800 24 | 40 | 214 | 0.68 | 0.75 | 0.65 |
| 95 13600 29 | 90 | 259 | 0.49 | 0.58 | 0.50 |
| 120 17200 33 | 36 | 299 | 0.39 | 0.48 | 0.42 |
| 150 21100 33 | 75 | 328 | 0.32 | 0.43 | 0.37 |
| 185 26500 42 | 26 | 370 | 0.25 | 0.37 | 0.32 |
| 240 34900 50 | 00 | 433 | 0.190 | 0.33 | 0.29 |
| 300 43700 5 | 73 | 493 | 0.155 | 0.31 | 0.27 |
| 400 55900 68 | 83 | 584 | 0.120 | 0.29 | 0.25 |
| 500 70600 78 | 83 | 666 | 0.093 | 0.28 | 0.24 |

^{*} Installation reference method 3 (enclosed in conduit on a wall or in trunking etc.,) as per BS 7671, Appendix 4, Conductor operating temperature 90°C, Ambient temperature 30°C

^{**} Installation reference methods 3 and 4 (enclosed in conduit, etc., in or on a wall) as per BS 7671, Appendix 4, Conductor operating temperature 90°C, Ambient temperature 30°C

(Flame-X 950 Single) 450/750V, 600/1000V

Correction Factors for Ambient Temperature

| Ambient Temperature, °C | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 |
|----------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Correction Factor | 1.02 | 1.00 | 0.96 | 0.91 | 0.87 | 0.82 | 0.76 | 0.71 | 0.65 | 0.58 | 0.50 | 0.41 | 0.29 |

Correction Factors for Groups

| Number of Circuits | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 12 | 14 | 16 | 18 |
|--------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Correction Factor | 0.80 | 0.70 | 0.65 | 0.60 | 0.57 | 0.54 | 0.52 | 0.50 | 0.48 | 0.45 | 0.43 | 0.41 | 0.39 |























(Flame-X 950 Standard) **300/500V**

BS 7629-1, BS 6387, BS 5839-1 _

Fire resistant screened cables having low emission of smoke and corrosive gases when affected by fire

CONSTRUCTION

| Conductors: | Plain annealed copper solid class 1 (for 1 - 2.5 mm²) and stranded class 2 (for 4 mm²) acc. to BS EN 60228 | | | | | |
|---|--|--|--|--|--|--|
| Uninsulated circuit protective conductor: | Tinned annealed copper of the same nominal cross-sectional area and of the same class as the insulated conductors | | | | | |
| Drain wire: | Tinned annealed copper wires class 2 acc. to BS EN 60228 (for cables with 7, 12, 19 – cores) | | | | | |
| Insulation: | Special cross-linked heat resistant compound type EI2 acc. to BS EN 50363-1 | | | | | |
| Optional binder: | Non hygroscopic halogen free tape | | | | | |
| Screen: | Aluminium/polyester laminated tape and uninsulated circuit protective conductor or drain wire | | | | | |
| Outer sheath: | Thermoplastic zero halogen low smoke compound type LTS 3 acc. to BS 7655-6.1 | | | | | |
| Colour of sheath: | Red or white (other colours are permissible when agreed with the manufacturer) | | | | | |
| Core identification: | 2 core + ECC: brown, blue 3 core + ECC: brown, black, grey 4 core + ECC: blue, brown, black, grey 7, 12, 19 – core + Drain wire: numbering or for identification by | | | | | |
| | colour: in each layer: brown (starting core), black (reference core) | | | | | |



| Maximum conductor operating temperature: | +70°C |
|--|-------------------------------------|
| Minimum operating temperature (for fixed application) after installation without movement: | -40°C |
| Lowest installation temperature: | 0°C |
| Maximum short-circuit conductor temperature: | +250°C |
| Minimum bending radius: | 6 × D; (D - overall cable diameter) |

(Flame-X 950 Standard) 300/500V

Fire performance

| Resistance to fire: | BS 6387 Category C – resistance to fire: 3 h at 950°C (IEC 60331) |
|----------------------|--|
| | Category \pmb{W} – resistance to fire with water: 15 min at 650^{o}C plus 15 min with water spray |
| | Category Z – resistance to fire with mechanical shock: 15 min at 950°C |
| | BS EN 50200 Class PH120 (resistance to fire, with mechanical shock: 120min) |
| | BS 5839-1:2002 Clause 26.2d |
| Flame propagation: | BS EN 60332-1-2, BS EN 60332-3-24 |
| Smoke density: | BS EN 61034-2 |
| Gases evolved during | BS EN 60754-1 HCl content < 0.5% |
| combustion: | BS EN 60754-2 pH ≥ 4.3 & conductivity ≤ 10 µSmm ⁻¹ |
| | |

Applications

Installations emergency lighting and evacuation systems, fire and smoke detection systems, air-conditioning and alarm systems, automatic elevator doors, computer control rooms, offshore and marine emergency systems, emergency evacuation communicators.

| Standard length cable packing: | 500 or 1,000 m on drums. |
|--------------------------------|---|
| | Other forms of packing and delivery are available on request. |

Approvals

| LPCB | 1.0 mm ² – 2-core, 1.5, 2.5, 4 mm ² – 2-core, 3-core, 4-core, 1.5, 2.5 mm ² – 7-core, 12-core, 1.5 mm ² – 19-core |
|-------|---|
| BASEC | 1.0 mm ² – 2-core, 1.5, 2.5, 4 mm ² – 2-core, 3-core, 4-core, 1.5, 2.5 mm ² – 7-core, 12-core, 1.5 mm ² – 19-core |

(Flame-X 950 Standard) 300/500V

| Number and cross- sectional area of conductor | Conductor class | Nominal cross- sectional area of protective conductor ECC | Approximate overall diameter | Approximate net weight of cables | Maximum conductor resistance at temperature 20°C | Maximum ECC conductor resistance at 20°C |
|---|--------------------|---|------------------------------------|----------------------------------|--|---|
| n × mm² | | mm² | mm | kg/km | Ω/km | Ω/km |
| 2 × 1 RE + ECC | 1 | 1 | 6.9 | 65 | 18.1 | 18.2 |
| 2 × 1.5 RE + ECC | 1 | 1.5 | 7.8 | 86 | 12.1 | 12.2 |
| 2 × 1.5 RM + ECC* | 2 | 1.5 | 8.2 | 91 | 12.1 | 12.2 |
| 2 × 2.5 RE + ECC | 1 | 2.5 | 9.2 | 126 | 7.41 | 7.56 |
| 2 × 2.5 RM + ECC* | 2 | 2.5 | 9.7 | 134 | 7.41 | 7.56 |
| 2 × 4 RM + ECC | 2 | 4 | 10.9 | 187 | 4.61 | 4.70 |
| 2 × 6 RM + ECC* | 2 | 6 | 12.0 | 251 | 3.08 | 3.11 |
| 3 × 1 RE + ECC** | 1 | 1 | 7.3 | 81 | 18.1 | 18.2 |
| 3 × 1.5 RE + ECC | 1 | 1.5 | 8.3 | 108 | 12.1 | 12.2 |
| 3 × 2.5 RE + ECC | 1 | 2.5 | 9.7 | 160 | 7.41 | 7.56 |
| 3 × 4 RM + ECC | 2 | 4 | 11.6 | 239 | 4.61 | 4.70 |
| 4 × 1 RE + ECC** | 1 | 1 | 8.2 | 102 | 18.1 | 18.2 |
| 4 × 1.5 RE + ECC | 1 | 1.5 | 9.5 | 138 | 12.1 | 12.2 |
| 4 × 1.5 RM + ECC* | 1 | 1.5 | 10.2 | 147 | 12.1 | 12.2 |
| 4 × 2.5 RE + ECC | 1 | 2.5 | 11.5 | 205 | 7.41 | 7.56 |
| 4 × 4 RM + ECC | 2 | 4 | 14.6 | 310 | 4.61 | 4.70 |

^{*} based on norm. without certificate ** without standards

(Flame-X 950 Standard) 300/500V

Technical and Electrical Characteristics

| Number and cross- sectional area of conductor | Conductor class | Nominal cross-sectional area of drain wire | Approximate overall diameter | Approximate net weight of cables | Maximum conductor resistance at 20°C | Maximum drain wire resistance at 20°C |
|---|--------------------|---|------------------------------------|--|---|--|
| n × mm² | | mm² | mm | kg/km | Ω/km | Ω/km |
| 7 × 1 RE** | 1 | 0.5 | 10.4 | 150 | 18.1 | 36.7 |
| 7 × 1.5 RE | 1 | 0.5 | 12.0 | 207 | 12.1 | 36.7 |
| 7 × 2.5 RE | 1 | 0.5 | 13.9 | 300 | 7.41 | 36.7 |
| 12 × 1 RE** | 1 | 0.5 | 13.6 | 247 | 18.1 | 36.7 |
| 12 × 1.5 RE | 1 | 0.5 | 15.5 | 333 | 12.1 | 36.7 |
| 12 × 2.5 RE | 1 | 0.5 | 18.3 | 496 | 7.41 | 36.7 |
| 19 × 1 RE* | 1 | 0.5 | 15.7 | 356 | 18.1 | 36.7 |
| 19 × 1.5 RE | 1 | 0.5 | 18.1 | 496 | 12.1 | 36.7 |

^{*} based on norm. without certificate ** without standards

Current ratings and voltage drop

Ambient air temperature: 30°C. Conductor operating temperature: 70°C. Installation as specified in Appendix 4 of BS 7671 IEE Wiring Regulations

(Flame-X 950 Standard) 300/500V

Reference Method 1

(clipped direct)

Reference Method 3

(enclosed in conduit on a wall or ceiling, or in trunking)

| Nominal area of conductor | 1 two core cable* single phase A.C. or D.C. | | 1 three-core or 1 four-core cable*. three-phase A.C. | | Nominal area of conductor | 1 two core cable* single phase A.C. or D.C. | | 1 three-core or 1 four-core cable*. three-phase A.C. | |
|---------------------------------|---|--|--|--|---------------------------------|---|--|--|--|
| | Current rating | Volts drop per ampere par metre | Current rating | Volts drop per ampere par metre | | Current rating | Volts drop per ampere par metre | Current rating | Volts drop per ampere par metre |
| mm² | A | mV/m | A | mV/m | mm² | A | mV/m | A | mV/m |
| 1.0 | 15 | 44 | 13.5 | 38 | 1.0 | 13 | 44 | 11.5 | 38 |
| 1.5 | 19.5 | 29 | 17.5 | | 1.5 | 16.5 | 29 | 15 | 25 |
| 2.5 | 27 | 18 | 24 | 15 | 2.5 | 23 | 18 | 20 | 15 |
| 4.0 | 36 | 11 | 32 | 9.5 | 4.0 | 30 | 11 | 27 | 9.5 |
| 6.0 | 46 | 7.3 | 41 | 6.4 | 6.0 | 38 | 7.3 | 34 | 6.4 |

^{*} with protective conductor

Rating factors for ambient temperature

| Ambient temperature, °C | 25 | 30 | 35 | 40 | 45 | 50 |
|-------------------------|------|------|------|------|------|------|
| Rating factor | 1.03 | 1.00 | 0.94 | 0.87 | 0.79 | 0.71 |

All the information contained in this document - including tables and diagrams - is given in good faith and believed to be correct at the time of publication. The information does not constitute a warranty nor representation for which TELE-FONIKA Kable assumes legal responsibility. TELE-FONIKA Kable reserves rights to introduce changes to the document at any time.

















(Flame-X 950 Enhanced) **300/500V**

BS 7629-1, BS 6387, BS 5839-1 **_**

"Enhanced" grade fire resistant electric cables having low emission of smoke and corrosive gases when affected by fire

CONSTRUCTION

| Conductors: | Plain annealed copper solid class 1 (for 1 - 2.5 mm²) and stranded class 2 (for 4 mm²) acc. to BS EN 60228 and special request |
|---|--|
| Primary insulation: | Fire resistant mica tape with a glass cloth |
| Insulation: | Special cross-linked heat resistant compound type EI2 acc. to BS EN 50363-1 |
| Screen: | Helically applied aluminium / polyester tape and uninsulated circuit protective conductor |
| Uninsulated circuit protective conductor: | Tinned annealed copper conductor of the same nominal cross-sectional area and of the same class as the insulated conductors |
| Outer sheath: | Thermoplastic zero halogen low smoke compound type LTS 3 acc. to BS 7655-6.1 |
| Colour of sheath: | Red or white. Other colours are available on special request. |
| Core identification: | 2 core + ECC: brown, blue 3 core + ECC: brown, black, grey 4 core + ECC: blue, brown, black, grey |



CHARACTERISTICS

| Maximum conductor operating temperature: | +70°C |
|---|-------------------------------------|
| Minimum operating temperature (for fixed application) | |
| after installation without movement: | -40°C |
| Lowest installation temperature: | 0°C |
| Maximum short-circuit conductor temperature: | +250°C |
| Minimum bending radius: | 6 × D; (D - overall cable diameter) |
| | |

(Flame-X 950 Enhanced) 300/500V

Fire performance

Resistance to fire:

Complies with the PH 120 ENHANCED fire resistant cable described in Clause 26.2 of BS 5839-1

BS 6387 Category $\bf C$ – resistance to fire: 3 h at 950°C (IEC 60331)

Category **W** – resistance to fire with water: 15 min at 650°C

plus 15 min with water spray

Category **Z** – resistance to fire with mechanical shock: 15 min at 950°C

EN 50200 - PH 120

BS 8434-2 - 120 min

Smoke density: BS EN 61034-2

Gases evolved during combustion:

Flame propagation:

BS EN 60754-1) HCl content < 0.5%

BS EN 60332-1-2, BS EN 60332-3-24

BS EN 60754-22 pH \geq 4.3 & conductivity \leq 10 μ Smm⁻¹

Applications (Flame-X 950 2E)

For use in installations emergency lighting and evacuation systems, fire and smoke detection systems, air-conditioning and alarm systems, automatic elevator doors, computer control rooms, emergency evacuation communicators. Recommended for systems, in particular building types, in which cables might need to operate correctly during a fire for periods in excess of those normally required for single phase evacuation of a building. Cables can be used in buildings higher than 30 m, with four or more evacuation zones.

Standard length cable packing

500 or 1,000 m on drums.

Other forms of packing and delivery are available on request.

Approvals

| LPCB | 1.0 mm2 – 2-core, 1.5, 2.5, 4 mm2 – 2-core, 3-core, 4-core |
|------|--|
| | |

BASEC 1.0 mm2 – 2-core, 1.5, 2.5, 4 mm2 – 2-core, 3-core, 4-core

(Flame-X 950 Enhanced) 300/500V

Technical and Electrical Characteristics

| Number and cross- sectional area of conductor | Conductor class | Nominal cross- sectional area of protective conductor ECC | Approximate overall diameter | Approximate net weight of cables | Maximum conductor resistance at 20°C | Maximum ECC conductor resistance at 20°C |
|---|--------------------|---|------------------------------------|----------------------------------|---|---|
| n × mm² | | mm² | mm | kg/km | Ω/km | Ω/km |
| 2 × 1 RE + ECC | 1 | 1 | 8.1 | 77 | 18.1 | 18.2 |
| 2 × 1.5 RE + ECC | 1 | 1.5 | 9.0 | 99 | 12.1 | 12.2 |
| 2 × 1.5 RM + ECC* | 2 | 1.5 | 9.4 | 104 | 12.1 | 12.2 |
| 2 × 2.5 RE + ECC | 1 | 2.5 | 10.4 | 142 | 7.41 | 7.56 |
| 2 × 2.5 RM + ECC* | 2 | 2.5 | 10.9 | 148 | 7.41 | 7.56 |
| 2 × 4 RM + ECC | 2 | 4 | 12.1 | 202 | 4.61 | 4.70 |
| 3 × 1 RE + ECC** | 1 | 1 | 8.6 | 96 | 18.1 | 18.2 |
| 3 × 1.5 RE + ECC | 1 | 1.5 | 9.6 | 126 | 12.1 | 12.2 |
| 3 × 2.5 RE + ECC | 1 | 2.5 | 11.0 | 180 | 7.41 | 7.56 |
| 3 × 4 RM + ECC | 2 | 4 | 12.9 | 258 | 4.61 | 4.70 |
| 4 × 1 RE + ECC** | 1 | 1 | 9.5 | 121 | 18.1 | 18.2 |
| 4 × 1.5 RE + ECC | 1 | 1.5 | 10.8 | 159 | 12.1 | 12.2 |
| 4 × 2.5 RE + ECC | 1 | 2.5 | 12.8 | 230 | 7.41 | 7.56 |
| 4 × 2.5 RM + ECC* | 2 | 2.5 | 13.7 | 242 | 7.41 | 7.56 |
| 4 × 4 RM + ECC | 2 | 4 | 15.9 | 333 | 4.61 | 4.70 |

^{*} based on norm, without certificate ** without standards

Current ratings and voltage drop

Ambient air temperature: 30°C. Conductor operating temperature: 70°C. Installation as specified in Appendix 4 of BS 7671 IEE Wiring Regulations

(Flame-X 950 Enhanced) 300/500V

Reference Method 1

(clipped direct)

Reference Method 3

(enclosed in conduit on a wall or ceiling, or in trunking)

| Nominal area of conductor | 1 two core cable* single phase A.C. or D.C. | | 1 three-core or 1 four-core cable*. three-phase A.C. | | Nominal area of conductor | 1 two core cable* single phase A.C. or D.C. | | 1 three-core or 1 four-core cable*. three-phase A.C. | |
|---------------------------------|---|--|--|--|---------------------------------|---|--|--|--|
| | Current rating | Volts drop per ampere par metre | Current rating | Volts drop per ampere par metre | | Current rating | Volts drop per ampere par metre | Current rating | Volts drop per ampere par metre |
| mm² | A | mV/m | A | mV/m | mm² | A | mV/m | A | mV/m |
| 1.0 | 15 | 44 | 13.5 | 38 | 1.0 | 13 | 44 | 11.5 | 38 |
| 1.5 | 19.5 | 29 | 17.5 | 25 | 1.5 | 16.5 | 29 | 15 | 25 |
| 2.5 | 27 | 18 | 24 | 15 | 2.5 | 23 | 18 | 20 | 15 |
| 4.0 | 36 | 11 | 32 | 9.5 | 4.0 | 30 | 11 | 27 | 9.5 |

^{*} with protective conductor

Rating factors for ambient temperature

| Ambient temperature, °C | 25 | 30 | 35 | 40 | 45 | 50 |
|-------------------------|------|------|------|------|------|------|
| Rating factor | 1.03 | 1.00 | 0.94 | 0.87 | 0.79 | 0.71 |

Correction factors for groups

| Number of cables in grouping | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------------------|------|------|------|------|------|------|------|------|------|
| Rating factor | 0.80 | 0.70 | 0.65 | 0.60 | 0.57 | 0.54 | 0.52 | 0.50 | 0.48 |

All the information contained in this document - including tables and diagrams - is given in good faith and believed to be correct at the time of publication. The information does not constitute a warranty nor representation for which TELE-FONIKA Kable assumes legal responsibility. TELE-FONIKA Kable reserves rights to introduce changes to the document at any time.

















600/1000V

Based on BS 7846, BS 6387 __

Fire resistant security power cable having low emission of smoke and corrosive gases when affected by fire

CONSTRUCTION

| Conductors: | Circular, circular compacted or shaped, stranded, annealed copper conductor, class 2 acc. to BS EN 60228 |
|---------------------|--|
| Primary insulation: | A suitable wrapping of mica tape with a glass cloth |
| Insulation: | Cable 1 to 16 mm ² - special thermosetting low smoke zero halogen compound type EI5 acc. to BS 50363-5 Cable 25 to 1,000 mm ² - cross-linked polyethylene (XLPE) of GP8 type acc. to BS 7655-1.3 |
| Bedding: | Special low smoke zero halogen filling compound (only 2, 3, 4 cores) |
| Outer sheath: | Thermoplastic LSOH compound of LTS1 type acc. to BS 7655-6.1 |



CHARACTERISTICS

| Nominal voltage: | 0.6/1kV | | | | | | |
|--|--|--------------------------|--|--|--|--|--|
| Colour of sheath: | Black. Other colours are available on spe | cial request. | | | | | |
| Core identification: | with green-yellow | without green-yellow | | | | | |
| | 1 core: green-yellow | black | | | | | |
| | 2 core: - | brown, blue | | | | | |
| | 3 core: green-yellow, blue, brown | brown, black, grey | | | | | |
| | 4 core: green-yellow, brown, black, grey | blue, brown, black, grey | | | | | |
| Maximum conductor operating temperature: | +90°C | | | | | | |
| Lowest installation temperature: | 0°C | | | | | | |
| Minimum operating temperature after | | | | | | | |
| installation without movement: | -40°C | | | | | | |
| Maximum short-circuit conductor | - | | | | | | |
| temperature: | +250°C | | | | | | |
| Minimum bending radius: | 6 × D for cables with circular copper conductors and 8 × D | | | | | | |
| - | for cables with shaped copper conductors; | | | | | | |
| | D – overall diameter of the cable | | | | | | |

Fire performance

| | Fire resistance: | BS 7846 p. 17.4.2 | Category F2 | | | | |
|----------|---------------------------------------|---|--|--|--|--|--|
| | (additional TF test) | IEC 60331-21 | Circuit integrity - tested 90 min. at 950°C | | | | |
| | | BS 6387 ¹⁾ | Category ${\bf C}$ – resistance to fire: 3 h at 950°C | | | | |
| | | | Category W – resistance to fire with water: 15 min at 650°C plus 15 min with water spray | | | | |
| BS EN 60 | 0754-22) pH ≥ 4.3 & conductivity ≤ 10 |) μSmm-1 | Category Z – resistance to fire with mechanical shock: 15 min at 950°C | | | | |
| | Flame propagation: | BS EN 60332-1-2 | | | | | |
| | | BS EN 60332-3-24 | | | | | |
| | Smoke density: | BS EN 61034-2 | | | | | |
| | Corrosive and acid gases emission: | BS EN 60754-1²) HCl (BS EN 60754-2²) pH ≥ | content < 0.5% 4.3 & conductivity ≤ 10 μSmm ⁻¹ | | | | |
| | | | | | | | |

¹⁾ Category C, W, Z for cables up to and including 50mm2. Category C for cables above and including 300mm2 2) BS EN 60754-1 & BS EN 60754-2 standards replace BS EN 50267-2-1

Applications

Fire resistant cables for use in fixed installations in industrial areas, public buildings (as for example power plants, hospitals, shopping centres, theatres) and similar applications where maintenance of power supply during a fire is required for a defined period of time.

| Standard length cable packing | 500 or 1,000 m on drums. |
|-------------------------------|---|
| | Other forms of packing and delivery are available on request. |

| Number and CSA of conductor | Nominal thickness of | Nominal thickness of bedding | Nominal thickness of outer | Approx. overall diameter | Approx. net weight | Maximum conductor resistance | Current single-p A.C. or D | hase | Voltage Drop D.C.* | single- | Short circuit rating |
|-----------------------------------|----------------------------|------------------------------------|----------------------------------|--------------------------------|--------------------------|------------------------------|----------------------------------|-------------|-----------------------|----------------|----------------------------|
| | insulation | | sheath | | of cables | at 20°C | Clipped direct | Free Air | • | phase A.C.* | (1 sec) |
| n × mm² | mm | mm | mm | mm | kg/km | Ω/km | Amp | Amp | mV/A/m | mV/A/m | kA |
| 1 × 1 RM | 0.7 | - | 1.4 | 6.4 | 53 | 18.1 | 19 | - | 46 | 46 | 0.14 |
| 1 × 1.5 RM | 0.7 | - | 1.4 | 6.7 | 61 | 12.1 | 25 | - | 31 | 31 | 0.21 |
| 1 × 2.5 RM | 0.7 | - | 1.4 | 7.2 | 74 | 7.41 | 34 | - | 19 | 19 | 0.35 |
| 1 × 4 RM | 0.7 | - | 1.4 | 7.7 | 93 | 4.61 | 46 | - | 12 | 12 | 0.57 |
| 1 × 6 RM | 0.7 | - | 1.4 | 8 | 113 | 3.08 | 59 | - | 7.9 | 7.9 | 0.85 |
| 1 × 10 RM | 0.7 | - | 1.5 | 9.1 | 162 | 1.83 | 81 | - | 4.7 | 4.7 | 1.4 |
| 1 × 16 RM | 0.7 | - | 1.5 | 10.2 | 225 | 1.15 | 109 | - | 2.9 | 2.9 | 2.2 |
| 1 × 25 RM | 0.9 | - | 1.6 | 12.2 | 325 | 0.727 | 143 | 135 | 1.85 | 1.85 | 3.5 |
| 1 × 35 RM | 0.9 | - | 1.7 | 13.4 | 426 | 0.524 | 176 | 169 | 1.35 | 1.35 | 5 |
| 1 × 50 RM | 0.9 | - | 1.8 | 15.1 | 563 | 0.387 | 228 | 207 | 0.99 | 1 | 7.1 |
| 1 × 70 RM | 1.1 | - | 1.9 | 16.9 | 777 | 0.268 | 298 | 268 | 0.68 | 0.71 | 10 |
| 1 × 95 RM | 1.1 | - | 2 | 19.1 | 1042 | 0.193 | 355 | 328 | 0.49 | 0.52 | 13.5 |
| 1 × 120 RM | 1.2 | - | 2.1 | 20.9 | 1294 | 0.153 | 413 | 383 | 0.39 | 0.43 | 17.1 |
| 1 × 150 RM | 1.4 | - | 2.2 | 23.1 | 1586 | 0.124 | 476 | 444 | 0.32 | 0.36 | 21.4 |
| 1 × 185 RM | 1.6 | - | 2.4 | 25.4 | 1971 | 0.099 | 545 | 510 | 0.25 | 0.3 | 26.4 |
| 1 × 240 RM | 1.7 | - | 2.6 | 28.3 | 2527 | 0.075 | 644 | 607 | 0.19 | 0.25 | 34.3 |
| 1 × 300 RM | 1.8 | - | 2.6 | 30.5 | 3120 | 0.060 | 743 | 703 | 0.155 | 0.22 | 42.9 |
| 1 × 400 RM | 2 | - | 2.8 | 34 | 4013 | 0.047 | 868 | 823 | 0.12 | 0.2 | 57.2 |
| 1 × 500 RM | 2.2 | - | 3 | 38 | 5109 | 0.037 | 990 | 946 | 0.093 | 0.185 | 71.5 |
| 1 × 630 RM | 2.4 | - | 3.2 | 43 | 6477 | 0.028 | 1130 | 1088 | 0.072 | 0.175 | 90.1 |
| 1 × 800 RM | 2.6 | - | 3.4 | 48.1 | 8163 | 0.022 | 1288 | 1214 | 0.056 | 0.17 | 114.4 |
| 1 × 1000 RM | 2.8 | - | 3.6 | 52 | 10100 | 0.018 | 1443 | 1349 | 0.045 | 0.165 | 134 |

| Number and CSA of conductor | nd CSA of thickness | | Nominal thickness of outer | Approx. overall diameter | overall net diameter weight | Maximum conductor resistance | single-p | Current rating single-phase A.C. or D.C.* | | Voltage Drop single- | Short circuit rating |
|-----------------------------------|---------------------|-----|----------------------------------|--------------------------------|-----------------------------|------------------------------|-------------------|---|--------|----------------------------|----------------------------|
| | insulation | | sheath | | of cables | at 20°C | Clipped direct | Free Air | - | phase A.C.* | (1 sec) |
| n × mm² | mm | mm | mm | mm | kg/km | Ω/km | Amp | Amp | mV/A/m | mV/A/m | kA |
| 2 × 1 RM | 0.7 | 0.8 | 1.4 | 11.7 | 185 | 18.1 | 19 | 21 | 46 | 46 | 0.14 |
| 2 × 1.5 RM | 0.7 | 0.8 | 1.4 | 12.2 | 208 | 12.1 | 24 | 26 | 31 | 31 | 0.21 |
| 2 × 2.5 RM | 0.7 | 0.8 | 1.4 | 13.1 | 249 | 7.41 | 33 | 36 | 19 | 19 | 0.35 |
| 2 × 4 RM | 0.7 | 0.8 | 1.4 | 14.1 | 304 | 4.61 | 45 | 49 | 12 | 12 | 0.57 |
| 2 × 6 RM | 0.7 | 0.8 | 1.4 | 14.9 | 361 | 3.08 | 58 | 63 | 7-Sep | 7.9 | 0.85 |
| 2 × 10 RM | 0.7 | 0.8 | 1.5 | 16.9 | 497 | 1.83 | 80 | 86 | 4.7 | 4.7 | 1.4 |
| 2 × 16 RM | 0.7 | 0.8 | 1.5 | 18.9 | 670 | 1.15 | 107 | 115 | 2.9 | 2.9 | 2.2 |
| 3 × 1 RM | 0.7 | 0.8 | 1.4 | 12.2 | 203 | 18.1 | 17 | 18 | - | 40 | 0.14 |
| 3 × 1.5 RM | 0.7 | 0.8 | 1.4 | 12.8 | 231 | 12.1 | 22 | 23 | - | 27 | 0.21 |
| 3 × 2.5 RM | 0.7 | 0.8 | 1.4 | 13.8 | 281 | 7.41 | 30 | 32 | - | 16 | 0.35 |
| 3 × 4 RM | 0.7 | 0.8 | 1.4 | 14.9 | 350 | 4.61 | 40 | 42 | - | 10 | 0.57 |
| 3 × 6 RM | 0.7 | 0.8 | 1.4 | 15.7 | 423 | 3.08 | 52 | 54 | - | 6.8 | 0.85 |
| 3 × 10 RM | 0.7 | 0.8 | 1.5 | 17.8 | 593 | 1.83 | 71 | 75 | - | 4 | 1.4 |
| 3 × 16 RM | 0.7 | 0.8 | 1.6 | 20.2 | 826 | 1.15 | 96 | 100 | - | 2.5 | 2.2 |
| | | - | | _ | | _ | | | | | |

Technical and Electrical Characteristics

| | | | | _ | _ | | | | | | |
|-----------------------------------|----------------------------|------------------------------------|--------|--------------------------------|--------------------------|------------------------------|----------------------------------|-------------|-----------------------|----------------------------|----------------------------|
| Number and CSA of conductor | Nominal thickness of | Nominal thickness of bedding | | Approx. overall diameter | Approx. net weight | Maximum conductor resistance | Current single-p A.C. or D | hase | Voltage Drop D.C.* | Voltage Drop single- | Short circuit rating |
| | insulation | | sheath | | of cables | at 20°C | Clipped direct | Free Air | - | phase A.C.* | (1 sec) |
| n × mm² | mm | mm | mm | mm | kg/km | Ω/km | Amp | Amp | mV/A/m | mV/A/m | kA |
| 4 × 1 RM | 0.7 | 0.8 | 1.4 | 13.2 | 233 | 18.1 | 17 | 18 | - | 40 | 0.14 |
| 4 × 1.5 RM | 0.7 | 0.8 | 1.4 | 13.9 | 268 | 12.1 | 22 | 23 | - | 27 | 0.21 |
| 4 × 2.5 RM | 0.7 | 0.8 | 1.4 | 14.9 | 328 | 7.41 | 30 | 32 | - | 16 | 0.35 |
| 4 × 4 RM | 0.7 | 0.8 | 1.4 | 16.2 | 414 | 4.61 | 40 | 42 | - | 10 | 0.57 |
| 4 × 6 RM | 0.7 | 0.8 | 1.5 | 17.2 | 513 | 3.08 | 52 | 54 | - | 6.8 | 0.85 |
| 4 × 10 RM | 0.7 | 0.8 | 1.5 | 19.4 | 718 | 1.83 | 71 | 76 | - | 4 | 1.4 |
| 4 × 16 RM | 0.7 | 0.8 | 1.6 | 22.1 | 1010 | 1.15 | 96 | 100 | - | 2.5 | 2.2 |
| | | | | | | | | | | | |

^{*} current ratings acc. to BS 7671 table 4E1A, 4E1B, 4E2A, 4E2B

Rating factors for air temperature

| LPCB | 1 mm² to | 1000 mm² | 1-core and | 1 mm² to | 16 mm² 2- | -core, 3-co | ore, 4-core | 2 |
|-----------------------------|----------|----------|------------|----------|-----------|-------------|-------------|------|
| Ambient air temperature, °C | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 |
| Rating factors | 1.0 | 2 1.0 | 0.96 | 0.91 | 0.87 | 0.82 | 0.76 | 0.71 |





















600/1000V

BS 7846 - F2 _____

Armoured fire resistant electric power and control cable having low emission of smoke and corrosive gases when affected by fire

CONSTRUCTION

| Conductors: | Circular, circular compacted or sectoral shaped, stranded, annealed copper conductor, class 2 acc. to BS EN 60228 |
|---------------------|---|
| Primary insulation: | A suitable wrapping of mica tape with a glass cloth |
| Insulation: | Cross-linked polyethylene (XLPE) of GP8 type acc. to BS 7655-1.3 |
| Bedding: | Special low smoke zero halogen (LSOH) compound |
| Armour: | Single layer of galvanized steel wires applied helically over the bedding |
| Outer sheath: | Thermoplastic halogen free compound (LSOH) of LTS1 type acc. to BS 7655-6.1 |



CHARACTERISTICS

| Colour of sheath: | Black. Other colours are available on special request. |
|--|--|
| Core identification: | 2 – core: brown, blue |
| | 3 – core: brown, black, grey |
| | 4 – core: blue, brown, black, grey |
| Maximum conductor operating temperature: | +90°C |
| Lowest installation temperature: | 0°C |
| Minimum operating temperature after installation | |
| without movement: | -40°C |
| Maximum short-circuit conductor temperature: | +250°C |
| Fire resistance: | Category F2 acc. to BS 7846, BS 6387 – Category C, W, Z |
| Flame propagation: | BS EN 60332-1-2, EN 60332-3-24 |
| Low smoke emission: | BS EN 61034-2 |
| Low corrosive and acid gas emission: | BS EN 60754-1, HCl content < 0.5% |
| | BS EN 60754-2 pH \geq 4.3 & conductivity \leq 10 μ Smm-1 |
| Minimum bending radius: | 6 × D for cables with circular copper conductors |
| | and 8 × D for cables with shaped copper conductors; |
| | D – overall diameter of the cable |

Applications

Fire resistant armoured cables for use in fixed installations in industrial areas, public buildings (as for example power plants, hospitals, shopping centres, theatres) and similar applications where maintenance of power supply during a fire is required for a defined period of time.

Standard length cable packing:

500 or 1000 m on drums.

Other forms of packing and delivery are available on request.

Approvals

LPCB

 $1.5\;mm^2$ to $400\;mm^2$ 2-core, 3-core, 4-core and $1.5\;mm^2$ to $16\;mm^2$ 2-core, 3-core, 4-core

| Number and CSA of | Nominal thickness | Nominal thickness | Nominal diameter | Approx. | Approx. net | Maximum conductor | Current ra phase A.C | ating single- or D.C. * | Drop | Voltage Drop single- phase A.C.* |
|----------------------|----------------------|----------------------|---------------------|----------|---------------------|-----------------------|-------------------------|----------------------------|----------------|--|
| conductor | of insulation | of outer sheath | of armour wires | diameter | weight of cables | resistance at 20°C | Clipped direct | • | - D.C.* | |
| n × mm² | mm | mm | mm | mm | kg/km | Ω/km | Amp | Amp | mV/A/m | mV/A/m |
| 2 × 1.5 RM | 0.6 | 1.3 | 0.9 | 13.2 | 349 | 12.1 | 27 | 29 | 31.0 | 31.0 |
| 2 × 2.5 RM | 0.7 | 1.4 | 0.9 | 14.7 | 423 | 7.41 | 36 | 39 | 19.0 | 19.0 |
| 2 × 4 RM | 0.7 | 1.4 | 0.9 | 15.7 | 494 | 4.61 | 49 | 52 | 12.0 | 12.0 |
| 2 × 6 RM | 0.7 | 1.4 | 0.9 | 16.5 | 558 | 3.08 | 62 | 66 | 7.9 | 7.9 |
| 2 × 10 RM | 0.7 | 1.5 | 0.9 | 18.5 | 716 | 1.83 | 85 | 90 | 4.7 | 4.7 |
| 2 × 16 RM | 0.7 | 1.5 | 1.25 | 21.2 | 1038 | 1.15 | 110 | 115 | 2.9 | 2.9 |
| 2 × 25 RM | 0.9 | 1.6 | 1.25 | 25.1 | 1374 | 0.727 | 146 | 152 | 1.85 | 1.90 |
| 2 × 35 RM | 0.9 | 1.7 | 1.6 | 28.5 | 1867 | 0.524 | 180 | 188 | 1.35 | 1.35 |
| 2 × 35 RM | 0.9 | 1.7 | 1.6 | 23.8 | 1443 | 0.524 | 180 | 188 | 1.35 | 1.35 |
| 2 × 50 SM | 1.0 | 1.8 | 1.6 | 26.0 | 1763 | 0.387 | 219 | 228 | 0.98 | 1.00 |
| 2 × 70 SM | 1.1 | 1.9 | 1.6 | 29.8 | 2313 | 0.268 | 279 | 291 | 0.67 | 0.69 |
| 2 × 95 SM | 1.1 | 2.0 | 2.0 | 32.8 | 3107 | 0.193 | 338 | 354 | 0.49 | 0.52 |
| 2 × 120 SM | 1.2 | 2.1 | 2.0 | 35.5 | 3720 | 0.153 | 392 | 410 | 0.39 | 0.42 |
| 2 × 150 SM | 1.4 | 2.2 | 2.0 | 38.4 | 4405 | 0.124 | 451 | 472 | 0.31 | 0.35 |
| 2 × 185 SM | 1.6 | 2.4 | 2.5 | 43.1 | 5642 | 0.0991 | 515 | 539 | 0.25 | 0.29 |
| 2 × 240 SM | 1.7 | 2.5 | 2.5 | 46.9 | 6940 | 0.0754 | 607 | 636 | 0.195 | 0.24 |
| 2 × 300 SM | 1.8 | 2.6 | | 52.6 | 8467 | 0.0601 | 698 | | 0.155 | 0.21 |

| Nominal thickness | Nominal thickness | Nominal diameter of armour wires | Approx. overall diameter | Approx. net | Maximum conductor resistance | Short circuit | Current rating three phase A.C.* | | Voltage Drop three |
|----------------------|--|---|---|--|---|--|--|---|---|
| of insulation | of outer sheath | | | _ | | current rating | Clipped direct | Free Air | phase A.C.* |
| mm | mm | mm | mm | kg/km | Ω/km | Amp | Amp | Amp | mV/A/m |
| 0.6 | 1.3 | 0.9 | 13.8 | 379 | 12.1 | 210 | 23 | 25 | 27.0 |
| 0.7 | 1.4 | 0.9 | 15.4 | 468 | 7.41 | 350 | 31 | 33 | 16.0 |
| 0.7 | 1.4 | 0.9 | 16.5 | 547 | 4.61 | 570 | 42 | 44 | 10.0 |
| 0.7 | 1.4 | 0.9 | 17.3 | 632 | 3.08 | 850 | 53 | 56 | 6.8 |
| 0.7 | 1.5 | 1.25 | 20.1 | 948 | 1.83 | 1400 | 73 | 78 | 4.0 |
| 0.7 | 1.6 | 1.25 | 22.5 | 1221 | 1.15 | 2200 | 94 | 99 | 2.5 |
| 0.9 | 1.7 | 1.6 | 27.8 | 1824 | 0.727 | 3575 | 124 | 131 | 1.65 |
| 0.9 | 1.8 | 1.6 | 30.3 | 2236 | 0.524 | 5005 | 154 | 162 | 1.15 |
| 0.9 | 1.8 | 1.6 | 27.7 | 1942 | 0.524 | 5005 | 154 | 162 | 1.15 |
| 1.0 | 1.8 | 1.6 | 30.1 | 2389 | 0.387 | 7150 | 187 | 197 | 0.87 |
| 1.1 | 1.9 | 1.6 | 33.7 | 3132 | 0.268 | 10010 | 238 | 251 | 0.60 |
| 1.1 | 2.1 | 2.0 | 38.2 | 4302 | 0.193 | 13585 | 289 | 304 | 0.45 |
| 1.2 | 2.2 | 2.0 | 41.5 | 5160 | 0.153 | 17160 | 335 | 353 | 0.37 |
| 1.4 | 2.3 | 2.5 | 46.7 | 6552 | 0.124 | 21450 | 386 | 406 | 0.30 |
| 1.6 | 2.4 | 2.5 | 50.6 | 7812 | 0.0991 | 26455 | 441 | 463 | 0.26 |
| 1.7 | 2.6 | 2.5 | 55.5 | 9756 | 0.0754 | 34320 | 520 | 546 | 0.21 |
| 1.8 | 2.7 | 2.5 | 60.4 | 11788 | 0.0601 | 42900 | 599 | 628 | 0.185 |
| 2.0 | 2.9 | 2.5 | 67.2 | 14987 | 0.047 | 57200 | 673 | 728 | 0.165 |
| | mm 0.6 0.7 0.7 0.7 0.9 0.9 1.0 1.1 1.1 1.2 1.4 1.6 1.7 1.8 | thickness of insulation of outer sheath mm mm 0.6 1.3 0.7 1.4 0.7 1.4 0.7 1.5 0.7 1.6 0.9 1.7 0.9 1.8 1.0 1.8 1.1 1.9 1.1 2.1 1.2 2.2 1.4 2.3 1.6 2.4 1.7 2.6 1.8 2.7 | thickness of insulation of outer sheath diameter of armour wires mm mm mm 0.6 1.3 0.9 0.7 1.4 0.9 0.7 1.4 0.9 0.7 1.4 0.9 0.7 1.5 1.25 0.7 1.6 1.25 0.9 1.7 1.6 0.9 1.8 1.6 1.0 1.8 1.6 1.1 1.9 1.6 1.1 2.1 2.0 1.2 2.2 2.0 1.4 2.3 2.5 1.6 2.4 2.5 1.7 2.6 2.5 1.8 2.7 2.5 | thickness of insulation of insulation of outer sheath diameter of armour wires overall diameter of armour wires mm mm mm mm 0.6 1.3 0.9 13.8 0.7 1.4 0.9 15.4 0.7 1.4 0.9 16.5 0.7 1.4 0.9 17.3 0.7 1.5 1.25 20.1 0.7 1.6 1.25 22.5 0.9 1.7 1.6 27.8 0.9 1.8 1.6 30.3 0.9 1.8 1.6 30.1 1.0 1.8 1.6 33.7 1.1 1.9 1.6 33.7 1.1 2.1 2.0 38.2 1.2 2.2 2.0 41.5 1.4 2.3 2.5 46.7 1.6 2.4 2.5 50.6 1.7 2.6 2.5 55.5 1.8 2.7 2.5 60.4 | thickness of insulation thickness of outer sheath diameter of armour wires overall diameter of armour wires net weight of cables mm mm mm mm kg/km 0.6 1.3 0.9 13.8 379 0.7 1.4 0.9 15.4 468 0.7 1.4 0.9 16.5 547 0.7 1.4 0.9 17.3 632 0.7 1.6 1.25 20.1 948 0.7 1.6 1.25 22.5 1221 0.9 1.7 1.6 27.8 1824 0.9 1.8 1.6 30.3 2236 0.9 1.8 1.6 30.1 2389 1.1 1.9 1.6 33.7 3132 1.1 2.1 2.0 38.2 4302 1.2 2.2 2.0 41.5 5160 1.4 2.3 2.5 46.7 6552 1.6 2.4 | thickness of insulation of insulation of outer sheath diameter of armour wires overall diameter of cables net weight resistance at 20°C mm mm mm mm kg/km 0/km 0.6 1.3 0.9 13.8 379 12.1 0.7 1.4 0.9 15.4 468 7.41 0.7 1.4 0.9 16.5 547 4.61 0.7 1.4 0.9 17.3 632 3.08 0.7 1.5 1.25 20.1 948 1.83 0.7 1.6 1.25 22.5 1221 1.15 0.9 1.7 1.6 27.8 1824 0.727 0.9 1.8 1.6 30.3 2236 0.524 0.9 1.8 1.6 30.1 2389 0.387 1.1 1.9 1.6 33.7 3132 0.268 1.1 2.1 2.0 38.2 4302 0.193 1.2 2.2 </td <td>thickness of insulation of insulation of outer of auter of auter sheath diameter of amour wires overall diameter weight of cables conductor resistance at 20°C circuit current rating mm mm mm kg/km \(\Omega/km\) Amp 0.6 1.3 0.9 13.8 379 12.1 210 0.7 1.4 0.9 15.4 468 7.41 350 0.7 1.4 0.9 16.5 547 4.61 570 0.7 1.4 0.9 17.3 632 3.08 850 0.7 1.6 1.25 20.1 948 1.83 1400 0.7 1.6 1.25 22.5 1221 1.15 2200 0.9 1.7 1.6 27.8 1824 0.727 3575 0.9 1.8 1.6 30.3 2236 0.524 5005 1.0 1.8 1.6 30.1 2389 0.387 7150 1.1 2.1 2.0</td> <td>thickness of insulation of older of insulation of older of insulation of older of insulation of older of cables thickness of insulation of older of cables at 20°C circuit current rating phase A.C. Clipped direct mm mm mm mm kg/km 0/km Amp Amp 0.6 1.3 0.9 13.8 379 12.1 210 23 0.7 1.4 0.9 15.4 468 7.41 350 31 0.7 1.4 0.9 16.5 547 4.61 570 42 0.7 1.4 0.9 17.3 632 3.08 850 53 0.7 1.6 1.25 20.1 948 1.83 1400 73 0.7 1.6 1.25 22.5 1221 1.15 2200 94 0.9 1.7 1.6 27.8 1824 0.727 3575 124 0.9 1.8 1.6 30.3 2236 0.524 5005 154 1.0</td> <td>thickness of insulation thickness of outer sheath diameter of armour wires of eables of cables conductor resistance at 20°C circuit rating phase A.C.* mm mm mm mm kg/km 0/km Amp Amp Amp 0.6 1.3 0.9 13.8 379 12.1 210 23 25 0.7 1.4 0.9 15.4 468 7.41 350 31 33 0.7 1.4 0.9 16.5 547 4.61 570 42 44 0.7 1.4 0.9 17.3 632 3.08 850 53 56 0.7 1.5 1.25 20.1 948 1.83 1400 73 78 0.7 1.6 1.25 22.5 1221 1.15 2200 94 99 0.9 1.7 1.6 27.8 1824 0.727 3575 124 131 0.9 1.8 1.6 <t< td=""></t<></td> | thickness of insulation of insulation of outer of auter of auter sheath diameter of amour wires overall diameter weight of cables conductor resistance at 20°C circuit current rating mm mm mm kg/km \(\Omega/km\) Amp 0.6 1.3 0.9 13.8 379 12.1 210 0.7 1.4 0.9 15.4 468 7.41 350 0.7 1.4 0.9 16.5 547 4.61 570 0.7 1.4 0.9 17.3 632 3.08 850 0.7 1.6 1.25 20.1 948 1.83 1400 0.7 1.6 1.25 22.5 1221 1.15 2200 0.9 1.7 1.6 27.8 1824 0.727 3575 0.9 1.8 1.6 30.3 2236 0.524 5005 1.0 1.8 1.6 30.1 2389 0.387 7150 1.1 2.1 2.0 | thickness of insulation of older of insulation of older of insulation of older of insulation of older of cables thickness of insulation of older of cables at 20°C circuit current rating phase A.C. Clipped direct mm mm mm mm kg/km 0/km Amp Amp 0.6 1.3 0.9 13.8 379 12.1 210 23 0.7 1.4 0.9 15.4 468 7.41 350 31 0.7 1.4 0.9 16.5 547 4.61 570 42 0.7 1.4 0.9 17.3 632 3.08 850 53 0.7 1.6 1.25 20.1 948 1.83 1400 73 0.7 1.6 1.25 22.5 1221 1.15 2200 94 0.9 1.7 1.6 27.8 1824 0.727 3575 124 0.9 1.8 1.6 30.3 2236 0.524 5005 154 1.0 | thickness of insulation thickness of outer sheath diameter of armour wires of eables of cables conductor resistance at 20°C circuit rating phase A.C.* mm mm mm mm kg/km 0/km Amp Amp Amp 0.6 1.3 0.9 13.8 379 12.1 210 23 25 0.7 1.4 0.9 15.4 468 7.41 350 31 33 0.7 1.4 0.9 16.5 547 4.61 570 42 44 0.7 1.4 0.9 17.3 632 3.08 850 53 56 0.7 1.5 1.25 20.1 948 1.83 1400 73 78 0.7 1.6 1.25 22.5 1221 1.15 2200 94 99 0.9 1.7 1.6 27.8 1824 0.727 3575 124 131 0.9 1.8 1.6 <t< td=""></t<> |

Technical and Electrical Characteristics

| Number and CSA of | Nominal thickness | Nominal thickness | Nominal diameter | Approx. Overall | Approx. Net | Maximum conductor | Short circuit | Current ra phase A.C | | Voltage Drop Three |
|----------------------|----------------------|----------------------|---------------------|--------------------|---------------------|-----------------------|-------------------|-------------------------|----------|-----------------------|
| conductor | of insulation | of outer sheath | of armour wires | diameter | weight of cables | resistance at 20°C | current rating | Clipped direct | Free Air | ─ phase A.C.* |
| n × mm² | mm | mm | mm | mm | kg/km | Ω/km | Amp | Amp | Amp | mV/A/m |
| 4 × 1.5 RM | 0.6 | 1.3 | 0.9 | 14.8 | 424 | 12.1 | 210 | 23 | 25 | 27.0 |
| 4 × 2.5 RM | 0.7 | 1.4 | 0.9 | 16.5 | 526 | 7.41 | 350 | 31 | 33 | 16.0 |
| 4 × 4 RM | 0.7 | 1.4 | 0.9 | 17.8 | 632 | 4.61 | 570 | 42 | 44 | 10.0 |
| 4 × 6 RM | 0.7 | 1.5 | 1.25 | 19.5 | 852 | 3.08 | 850 | 53 | 56 | 6.8 |
| 4 × 10 RM | 0.7 | 1.5 | 1.25 | 21.7 | 1096 | 1.83 | 1400 | 73 | 78 | 4.0 |
| 4 × 16 RM | 0.7 | 1.6 | 1.25 | 24.4 | 1446 | 1.15 | 2200 | 94 | 99 | 2.5 |
| 4 × 25 RM | 0.9 | 1.7 | 1.6 | 30.2 | 2161 | 0.727 | 3575 | 124 | 131 | 1.65 |
| 4 × 35 RM | 0.9 | 1.8 | 1.6 | 32.9 | 2675 | 0.524 | 5005 | 154 | 162 | 1.15 |
| 4 × 35 SM | 0.9 | 1.8 | 1.6 | 30.6 | 2408 | 0.524 | 5005 | 154 | 162 | 1.15 |
| 4 × 50 SM | 1.0 | 1.9 | 1.6 | 33.6 | 3013 | 0.387 | 7150 | 187 | 197 | 0.87 |
| 4 × 70 SM | 1.1 | 2.1 | 2.0 | 39.1 | 4285 | 0.268 | 10010 | 238 | 251 | 0.60 |
| 4 × 95 SM | 1.1 | 2.2 | 2.0 | 42.8 | 5449 | 0.193 | 13585 | 289 | 304 | 0.45 |
| 4 × 120 SM | 1.2 | 2.3 | 2.5 | 48.1 | 7000 | 0.153 | 17160 | 335 | 353 | 0.37 |
| 4 × 150 SM | 1.4 | 2.4 | 2.5 | 52.1 | 8303 | 0.124 | 21450 | 386 | 406 | 0.30 |
| 4 × 185 SM | 1.6 | 2.6 | 2.5 | 56.8 | 10020 | 0.0991 | 26455 | 441 | 463 | 0.26 |
| 4 × 240 SM | 1.7 | 2.7 | 2.5 | 62.6 | 12562 | 0.0754 | 34320 | 520 | 546 | 0.21 |
| 4 × 300 SM | 1.8 | 2.9 | 2.5 | 67.6 | 15154 | 0.0601 | 42900 | 599 | 628 | 0.185 |
| 4 × 400 SM | 2.0 | 3.2 | 3.15 | 77.4 | 19892 | 0.047 | 57200 | 673 | 728 | 0.165 |

* acc to BS 7671 table 4E4A & 4E4B























BS 7846 - F120 ____

Armoured fire resistant electric power and control cable having low emission of smoke and corrosive gases when affected by fire

CONSTRUCTION

| Conductors: | Circular, circular compacted (RM) or shaped stranded (SM), annealed copper conductor, class 2 acc. to BS EN 60228 |
|---------------------|---|
| Primary insulation: | Fire resistant mica tape with a glass cloth |
| Insulation: | Cross-linked polyethylene (XLPE) of GP8 type acc. to BS 7655-1.3 |
| Cable core: | Insulated conductors twisted together wrapped by fire resistance tape (optional also by polyester film) |
| Bedding: | Thermoplastic zero halogen low smoke compound (LSOH) wrapped by fire resistance tape |
| Armour: | Galvanized steel wires applied helically (optional polyester film over the armour) |
| Outer sheath: | Thermoplastic zero halogen low smoke compound of LTS1 type acc. to BS 7655-6.1 |



CHARACTERISTICS

| Colour of sheath: | Black. Other colours are available on special request. | | | | | |
|--|--|--|--|--|--|--|
| Core identification: | 2 – core: brown, blue | | | | | |
| | 3 – core: brown, black, grey | | | | | |
| | 4 – core: blue, brown, black, grey | | | | | |
| Maximum conductor operating temperature | +90°C | | | | | |
| Lowest installation temperature: | 0°C | | | | | |
| Minimum operating temperature after installation without movement: | -40°C | | | | | |
| Maximum short-circuit conductor temperature: | +250°C | | | | | |
| Minimum bending radius: | 6 × D for cables with circular copper conductors 8 × D for cables with shaped copper conductors D – overall diameter | | | | | |

Fire performance

| Fire resistance: | BS 8491 | Category F120 | | | | | |
|--------------------------|--|---------------------|--|--|--|--|--|
| | BS 8519 | Category 1, 2 and 3 | | | | | |
| Flame propagation: | BS EN 60332-1-2 | | | | | | |
| | BS EN 60332-3-24 | | | | | | |
| Smoke density: | BS EN 61034-2 | | | | | | |
| Corrosive and acid gases | BS EN 60754-1 ¹⁾ HCl content < 0.5% | | | | | | |
| emission: | BS EN 60754-2 ¹⁾ pH \geq 4.3 & conductivity \leq 10 μ Smm ⁻¹ | | | | | | |
| | | | | | | | |

¹⁾ BS EN 60754-1 & BS EN 60754-2 standards replace BS EN 50267-2-1

Applications

Enhanced fire resistant armoured cables for use in life safety and fire fighting systems of public buildings (hospitals, shopping centres, theatres, stadiums) and similar applications where maintenance of power supply during a fire is critical.

| Standard length cable packing: | 500 or 1000 m on drums. |
|--------------------------------|---|
| | Other forms of packing and delivery are available on request. |

Approvals

| LPCB | $4\ mm^2$ to $16\ mm^2$ 3-core, 4-core and $25\ mm^2$ to $400\ mm^2$ 3-core, 4-core |
|------|---|
| | |

| Number and CSA of conductor | Nominal thickness of insulation | Nominal thickness of outer | Nominal diameter of armour | Approx. overall diameter | net weight of cables | Maximum conductor resistance at 20°C | single-p | Current rating single-phase A.C. or D.C. * | | Voltage Drop single-phase A.C.* |
|-----------------------------------|---------------------------------------|----------------------------------|----------------------------------|--------------------------------|-------------------------|---|-------------------|--|--------|---------------------------------------|
| | | sheath | wires | | | at 20°C | Clipped direct | Free Air | _ | |
| n × mm² | mm | mm | mm | mm | kg/km | Ω/km | Amp | Amp | mV/A/m | mV/A/m |
| 2 × 4 RM | 0.7 | 1.4 | 1.25 | 20.1 | 712 | 4.61 | 49 | 52 | 12.0 | 12.0 |
| 2 × 6 RM | 0.7 | 1.4 | 1.25 | 20.1 | 744 | 3.08 | 62 | 66 | 7.9 | 7.9 |
| 2 × 10 RM | 0.7 | 1.5 | 1.25 | 20.9 | 839 | 1.83 | 85 | 90 | 4.7 | 4.7 |
| 2 × 16 RM | 0.7 | 1.5 | 1.25 | 22.9 | 1027 | 1.15 | 110 | 115 | 2.9 | 2.9 |
| 2 × 25 RM | 0.9 | 1.6 | 1.25 | 26.4 | 1425 | 0.727 | 146 | 152 | 1.85 | 1.90 |
| 2 × 35 RM | 0.9 | 1.7 | 1.6 | 29.8 | 1929 | 0.524 | 180 | 188 | 1.35 | 1.35 |
| 2 × 50 SM | 1.0 | 1.8 | 1.6 | 27.1 | 1963 | 0.387 | 219 | 228 | 0.98 | 1.00 |
| 2 × 70 SM | 1.1 | 1.9 | 1.6 | 31.0 | 2552 | 0.268 | 279 | 291 | 0.67 | 0.69 |
| 2 × 95 SM | 1.1 | 2.0 | 2.0 | 34.0 | 3392 | 0.193 | 338 | 354 | 0.49 | 0.52 |
| 2 × 120 SM | 1.2 | 2.1 | 2.0 | 36.5 | 4014 | 0.153 | 392 | 410 | 0.39 | 0.42 |
| 2 × 150 SM | 1.4 | 2.2 | 2.0 | 39.5 | 4717 | 0.124 | 451 | 472 | 0.31 | 0.35 |
| 2 × 185 SM | 1.6 | 2.4 | 2.5 | 44.3 | 6069 | 0.0991 | 515 | 539 | 0.25 | 0.29 |
| 2 × 240 SM | 1.7 | 2.5 | 2.5 | 48.1 | 7390 | 0.0754 | 607 | 636 | 0.195 | 0.24 |
| 2 × 300 SM | 1.8 | 2.6 | 2.5 | 52.1 | 8772 | 0.0601 | 698 | 732 | 0.155 | 0.21 |
| 2 × 400 SM | 2.0 | 2.8 | 2.5 | 59.6 | 11120 | 0.047 | 787 | 847 | 0.120 | 0.19 |
| 2 × 400 SM | Z.U | | 2.5 - | 59.6 | 11120 | 0.04/ | /8/ | 84/ | 0.120 | 0.19 |

| | Nominal thickness of insulation | Nominal thickness of outer | Nominal diameter of armour wires | Approx. overall diameter | Approx. net weight of cables | conductor resistance | Short circuit current rating | Current rating three phase A.C.* | | Voltage Drop three phase A.C.* |
|------------|---------------------------------------|----------------------------------|---|--------------------------------|------------------------------|-------------------------|---------------------------------------|----------------------------------|-------------|--------------------------------------|
| | | sheath | | | | at 20°C | rating | Clipped direct | Free Air | _ |
| n × mm² | mm | mm | mm | mm | kg/km | Ω/km | Amp | Amp | Amp | mV/A/m |
| 3 × 4 RM | 0.7 | 1.4 | 1.25 | 20.2 | 832 | 4.61 | 570 | 42 | 44 | 10.0 |
| 3 × 6 RM | 0.7 | 1.4 | 1.25 | 20.1 | 803 | 3.08 | 850 | 53 | 56 | 6.8 |
| 3 × 10 RM | 0.7 | 1.5 | 1.25 | 21.8 | 985 | 1.83 | 1400 | 73 | 78 | 4.0 |
| 3 × 16 RM | 0.7 | 1.6 | 1.25 | 24.2 | 1241 | 1.15 | 2200 | 94 | 99 | 2.5 |
| 3 × 25 RM | 0.9 | 1.7 | 1.6 | 29.1 | 1930 | 0.727 | 3575 | 124 | 131 | 1.65 |
| 3 × 35 RM | 0.9 | 1.8 | 1.6 | 31.6 | 2328 | 0.524 | 5005 | 154 | 162 | 1.15 |
| 3 × 50 SM | 1.0 | 1.8 | 1.6 | 31.2 | 2629 | 0.387 | 7150 | 187 | 197 | 0.87 |
| 3 × 70 SM | 1.1 | 1.9 | 1.6 | 34.9 | 3394 | 0.268 | 10010 | 238 | 251 | 0.60 |
| 3 × 95 SM | 1.1 | 2.1 | 2.0 | 39.4 | 4617 | 0.193 | 13585 | 289 | 304 | 0.45 |
| 3 × 120 SM | 1.2 | 2.2 | 2.0 | 42.5 | 5486 | 0.153 | 17160 | 335 | 353 | 0.37 |
| 3 × 150 SM | 1.4 | 2.3 | 2.5 | 47.9 | 7003 | 0.124 | 21450 | 386 | 406 | 0.30 |
| 3 × 185 SM | 1.6 | 2.4 | 2.5 | 51.8 | 8352 | 0.0991 | 26455 | 441 | 463 | 0.26 |
| 3 × 240 SM | 1.7 | 2.6 | 2.5 | 56.8 | 10299 | 0.0754 | 34320 | 520 | 546 | 0.21 |
| 3 × 300 SM | 1.8 | 2.7 | 2.5 | 61.6 | 12262 | 0.0601 | 42900 | 599 | 628 | 0.185 |
| 3 × 400 SM | 2.0 | 2.9 | 2.5 | 68.9 | 15520 | 0.0470 | 57200 | 673 | 728 | 0.165 |
| | | | | | _ | | _ | | | |

Technical and Electrical Characteristics

| Number and CSA of | Nominal thickness | Nominal thickness | Nominal diameter | Approx. | 0 | t Maximum conductor resistance | circuit | Current rating three phase A.C.* | | Voltage Drop Three |
|----------------------|----------------------|----------------------|---------------------|----------|-----------|--------------------------------|-------------------|----------------------------------|-------------|-----------------------|
| conductor | of insulation | of outer sheath | of armour wires | diameter | of cables | resistance at 20°C | current rating | Clipped direct | Free Air | — phase A.C.* |
| n × mm² | mm | mm | mm | mm | kg/km | Ω/km | Amp | Amp | Amp | mV/A/m |
| 4 × 4 RM | 0.7 | 1.4 | 1.25 | 20.1 | 869 | 4.61 | 570 | 42 | 44 | 10.0 |
| 4 × 6 RM | 0.7 | 1.5 | 1.25 | 21.2 | 906 | 3.08 | 850 | 53 | 56 | 6.8 |
| 4 × 10 RM | 0.7 | 1.5 | 1.25 | 23.4 | 1140 | 1.83 | 1400 | 73 | 78 | 4.0 |
| 4 × 16 RM | 0.7 | 1.6 | 1.25 | 26.1 | 1466 | 1.15 | 2200 | 94 | 99 | 2.5 |
| 4 × 25 RM | 0.9 | 1.7 | 1.6 | 31.5 | 2261 | 0.727 | 3575 | 124 | 131 | 1.65 |
| 4 × 35 RM | 0.9 | 1.8 | 1.6 | 34.2 | 2752 | 0.524 | 5005 | 154 | 162 | 1.15 |
| 4 × 50 SM | 1.0 | 1.9 | 1.6 | 34.7 | 3271 | 0.387 | 7150 | 187 | 197 | 0.87 |
| 4 × 70 SM | 1.1 | 2.1 | 2.0 | 40.3 | 4605 | 0.268 | 10010 | 238 | 251 | 0.60 |
| 4 × 95 SM | 1.1 | 2.2 | 2.0 | 44.0 | 5789 | 0.193 | 13585 | 289 | 304 | 0.45 |
| 4 × 120 SM | 1.2 | 2.3 | 2.5 | 49.3 | 7460 | 0.153 | 17160 | 335 | 353 | 0.37 |
| 4 × 150 SM | 1.4 | 2.4 | 2.5 | 53.3 | 8785 | 0.124 | 21450 | 386 | 406 | 0.30 |
| 4 × 185 SM | 1.6 | 2.6 | 2.5 | 58.0 | 10528 | 0.0991 | 26455 | 441 | 463 | 0.26 |
| 4 × 240 SM | 1.7 | 2.7 | 2.5 | 63.8 | 13141 | 0.0754 | 34320 | 520 | 546 | 0.21 |
| 4 × 300 SM | 1.8 | 2.9 | 2.5 | 68.8 | 15622 | 0.0601 | 42900 | 599 | 628 | 0.185 |
| 4 × 400 SM | 2.0 | 3.2 | 3.15 | 79.1 | 20575 | 0.0470 | 57200 | 673 | 728 | 0.165 |

* acc to BS 7671 table 4E4A & 4E4B

The information contained in this document, including the tables and drawings, are provided for illustrative purposes only and not a commercial offer; nor may it constitute the basis for pursuing any claim against TELE-FONIKA KABLE SA. The suitability of any product including properties, should be made by a qualified person; having already gained the appropriate permissions and documentation, to ensure compliance with any applicable law or regulation.

Certificates issued by LPCB

| Туре | Series 1 | Series 2 | Series 2e | Series 4 | Series 6 |
|------|----------|----------|-----------|----------|----------|
| No | 814c | 1354e | 1354f | 814d | 1354a |

Applications Flame-X 950 cables

Low Smoke Zero Halogen Fire Resistant Flame-X 950 types can be used for applications where SAFETY of human is top priority, especially where sophisticated systems are provided, example:

- Mass Transit Systems,
- High rise buildings
- Confined locations (e.g underground metro stations)
- Schools & Hospitals
- Shopping Malls
- Other places with a large concentration of people

Installation and Storage recommendation:

Flame-X 950 Fire Resistant cables are very important for human life protection. That is why they need to be stored and installed with special care and attention.

We recommend:

- Cables shall be stored indoor and special care shall be taken when temperature rises above 45 deg C
- Cables shall not be exposed to direct sunlight for considerable period of time before installation.
- Preferably the installation shall be done during morning hours when the ambient temperature is low (applicable for Middle East conditions)
- Cables shall not be installed when ambient temperature is below 0 Deg. C
- During installation it is necessary to keep right bending radius. It cannot exceed value as per technical specification, at any point.
- Wire/Rope shall not be used directly on cable sheath for pulling
- Special attention is recommended when cable is pulled on cable tray.
- Rollers and bends shall not have any sharpness that can make damage,
- Flame-X 950 cables and wires shall be installed together with special compatible LSZH, fire performance equipment (joints, boxes) at installation site.

TELE-FONIKA Kable S.A.

(DMCC Branch)

Office #4502-21, Mazaya Business Avenue BB2

P.O. Box 393761

Jumeirah Lake Towers

Dubai -UAE

P.: +971-4-5670746

F.: +971-4-4328232



TELE-FONIKA Kable S.A.

ul. Hipolita Cegielskiego 1

32-400 Myślenice, Poland

T. +48 12 652 5000

F. +48 12 652 5156

info@tfkable.com

www.tfkable.com